



ALWAYS THE SAFE CHOICE!



**The castle as a brand - security since 1920.**

For many decades, clients from all over the world associated the brand BURG-WÄCHTER with quality products "Made in Germany". Its origins go back to the 19th century, the production of padlocks was the corner stone of the brand BURG in 1890. The name is referred to the town's landmark, the castle of Volmarstein. Since today, its ruin can be seen from a long distance in the river Ruhr valley. In 1920, the new brand BURG-WÄCHTER was founded. It represents both our company as well as our products.

**We secure jobs.**

"Made in Germany" is the core of our product philosophy. Therefore, the commitment to the location Germany has a high significance. It is also a commitment to the excellent skilled workers who are employed by the company. They are the guarantors of the product quality and as a consequence for the customer's satisfaction.

Wetter-Volmarstein at the river Ruhr is the headquarter of BURG-WÄCHTER. The head office and the sales office are based here. The largest production facility together with the research and development department, the training centre and central warehouse are located in Meinerzhagen-Valbert in the region Sauerland. In Wismar, Mecklenburg-Vorpommern, you will find another production facility. Our programme is amplified and enriched by further production facilities in Rumania and China as well as by international co-operation partners. Here we assume our responsibility to influence the globalisation in a positive way by offering good workplace conditions and fair wages.

Clients from all over the world appreciate the know-how which has been developed over decades and the innovative product development. BURG-WÄCHTER products are meeting the highest technological standards. We are member of several advisory boards.

You can rely on approved products with our seals of quality "Made in Germany" and "German Engineering".



Administration in Wetter-Volmarstein




Production facility in Wetter-Volmarstein



Facilities for research and production in Meinerzhagen-Valbert



Production facility in Wismar



# Contents

## Locks and bolts

Padlocks.....	4	Chains.....	20
Combination padlocks.....	10	All-round cam-locks.....	21
Padlocks.....	12	Furniture locks.....	22
Hasps & staples, locking bolts.....	14	Security inserts and lockblocking keys.....	24
Bicycle security.....	15		

## Electronic door locking systems

TSE BASIC 3000.....	27	TSE Set 5003 E-KEY.....	28
TSE Set 4001 PINCODE.....	27	TSE Components / Accessories.....	29
TSE Set 5001 PINCODE/5002 FINGERSCAN.....	28	TSE System 6000.....	30

## Security for doors and windows

Door chains.....	34	Door closers.....	40
Door and window security.....	35	Doorstops, door lifter.....	42
Security grills – winPROTEC.....	38	Doorstops.....	43

## Measuring techniques

Distance meter and cross laser.....	48	Tape measures, folding rules and digital caliper.....	51
Detectors and moisture meter.....	49	Temperature gun and multimeter.....	52
Spirit levels.....	50		

## Cash boxes and key cabinets

Cash boxes.....	54	Key boxes.....	58
EURO cash boxes and inserts.....	56	Key cabinets.....	59
Stainless steel key boards.....	57		

## Letter boxes

Letter boxes made of high-quality plastic.....	62	Letter plates, letter boxes for sealing in the wall.....	82
Letter boxes made of stainless steel.....	66	Letterbox banks.....	84
Letter boxes made of solid cast aluminium.....	71	Paper boxes.....	86
Letter boxes made of galvanized steel.....	72	Freestanding letter boxes und stands.....	88
Letter boxes for fences.....	79	Accessories for letter boxes.....	94
Letter boxes "Point".....	80	Colour table.....	96

## Safes and strongboxes

Freestanding safes.....	98	Safety cabinets OfficeLine.....	118
Hotel Safes.....	106	Document safes OfficeDoku.....	121
Fire Protective Safes.....	107	Disk safes.....	122
Wall safes.....	108	Index.....	128
Gun cabinets.....	112		
Safety cabinets Royal.....	114		



Padlocks  
Hasps, staples + Locking bolts  
Bicycle locks  
Chains  
Furniture locks + all-round cam-locks



# Locks & bolts



**BURG  
WÄCHTER**

# Padlocks



Alpha Titan 900

## 900 Alpha Titan

### High-tech padlock for highest security demands

- extreme high protection against cutting and drilling due to a special body construction
- hardened steel body
- ultra-hardened shackle, chromium-plated
- exchangeable precision locking mechanism, protected against drilling and corrosion
- easy shackle opening



Art.-No.	EAN				
	40 03482...		mm	mm	mm
<b>900 85 V</b>	10320 3	1	14,0	18,5	23,5
<b>900 85 C</b>	10450 7	1	14,0	18,5	23,5



**Version C:** with special locking cylinder, protected against drilling  
**Version V:** Prepared for euro and scandinavian cylinder, delivered without cylinder

**Information:** you can insert all standardized profile half cylinders (standard length 40 mm) according to EN 1303 and all standardized Scandinavian 6 pin oval cylinders into the Alpha Titan 900 padlock. Fast exchange without modification of the locking cylinder. Easy assembly.



Alpha 800

## 800 Alpha

### High-performance padlock

- protected against opening by bolt cutting and drilling (all-round protection)
- hardened steel body, chromium-plated
- handy plastic cover
- MnCr steel shackle, specially hardened
- double ball bearing locking
- several tons breaking strength
- high-tech cylinder, more than 300,000 key differs
- cylinder protected against extraction



**SB**

Art.-No.	EAN					
	40 03482...		mm	mm	mm	
<b>800 65</b>	19650 2	1	11,0	22,0	26,0	62R
<b>800 65 SB</b>	19651 9	3	11,0	22,0	26,0	62R



Gamma 700

## 700 Gamma

### High-performance padlock

- solid brass body
- high breaking strength
- handy plastic cover
- shackle ultra-hardened, double ball bearing locking
- high precision cylinder
- rustproof interior
- cylinder multi-protected against drilling



**SB**

Art.-No.	EAN					
	40 03482...		mm	mm	mm	
<b>700 55</b>	19170 5	3	9,0	22,0	28,0	60R
<b>700 55 SB</b>	19171 2	3	9,0	22,0	28,0	60R



Diamant D 600

## D 600 Diamant

- solid brass body
- high breaking strength
- shackle ultra-hardened, double bolted
- high precision cylinder
- rustproof interior
- cylinder multi-protected against drilling



**SB**

Art.-No.	EAN					
	40 03482...		mm	mm	mm	
<b>D 600 40</b>	17600 9	5	7,5	22,0	23,0	60R
<b>D 600 50</b>	17610 8	5	9,0	25,0	28,0	60R
<b>D 600 60</b>	17620 7	3	11,0	30,0	35,0	60R
<b>D 600 40 SB</b>	17601 6	5	7,5	22,0	23,0	60R
<b>D 600 50 SB</b>	17611 5	5	9,0	25,0	28,0	60R



# Padlocks



## 116 Profi

### Reliable quality

- solid brass body
- hardened steel shackle, double bolted
- high precision cylinder
- many key differs
- rustproof interior



Art.-No.	EAN					
	40 03482...		mm	mm	mm	
<b>116 20</b>	03130 8	10	3,5	11,0	13,0	64R
<b>116 25</b>	03140 7	5	4,0	13,0	16,0	64R
<b>116 30</b>	03150 6	10	5,0	16,0	17,5	65R/L
<b>116 40</b>	03160 5	10	6,0	23,0	22,0	66R/L
<b>116 50</b>	03170 4	5	8,0	28,0	27,0	66R/L
<b>116 60</b>	03180 3	5	10,0	32,0	33,0	66R/L
<b>116 30 SB</b>	03151 3	5	5,0	16,0	17,5	65R/L
<b>116 40 SB</b>	03161 2	5	6,0	23,0	22,0	66R/L
<b>116 50 SB</b>	03171 1	5	8,0	28,0	27,0	66R/L



as from 50 mm



116 Profi


## 116 Ni Profi

### Seawater proof, absolutely rustproof!

- solid brass body
- stainless steel shackle, double bolted
- high precision cylinder
- many key differs
- rustproof interior



Art.-No.	EAN					
	40 03482...		mm	mm	mm	
<b>Niro 116 25</b>	03380 7	5	4,0	13,0	16,0	64R
<b>Niro 116 30</b>	03190 2	10	5,0	16,0	17,5	65R/L
<b>Niro 116 40</b>	03200 8	10	6,0	23,0	22,0	66R/L
<b>Niro 116 50</b>	03210 7	5	8,0	28,0	27,0	66R/L
<b>Niro 116 60</b>	03220 6	5	10,0	32,0	33,0	66R/L
<b>Ni116HB 40 45</b>	03310 4	5	6,0	23,0	45,0	66R/L



as from 50 mm



116 Ni Profi

## 116 HB Profi

### Reliable quality

- with long shackle
- solid brass body
- hardened steel shackle, double bolted
- high precision cylinder
- many key differs
- rustproof interior



Art.-No.	EAN					
	40 03482...		mm	mm	mm	
<b>116HB 30 30</b>	03230 5	5	5,0	16,0	30,0	65R/L
<b>116HB 30 45</b>	03240 4	5	5,0	16,0	45,0	65R/L
<b>116HB 40 45</b>	03250 3	5	6,0	23,0	45,0	66R/L
<b>116HB 40 60</b>	03260 2	5	6,0	23,0	60,0	66R/L
<b>116HB 50 80</b>	03270 1	5	8,0	28,0	80,0	66R/L
<b>116HB 50 110</b>	03280 0	1	8,0	28,0	110,0	66R/L
<b>116HB 50 180</b>	03290 9	1	8,0	28,0	180,0	66R/L
<b>116HB 60 110</b>	03300 5	1	10,0	32,0	110,0	66R/L
<b>116HB 40 45 SB</b>	03251 0	5	6,0	23,0	45,0	66R/L
<b>116HB 40 60 SB</b>	03261 9	5	6,0	23,0	60,0	66R/L



as from 50 mm



116 HB Profi

## Quality features of the BURG-WÄCHTER padlocks

These new icons you will find on the new self-service packaging and in the displays – for an easy and linguistic independent information.

Padlock with protection against drilling: The series Alpha, Gamma and Diamant offer additional protection against drilling	Double bolted shackle. For additional security against pulling.	Padlocks with a very high protection against pulling are the following: Alpha, Gamma, Diamant, Quadra und Diskus	"Hardened" stands for all padlocks with hardened shackle, independent from its diameter.
Protection against nipping: Padlocks with thicker shackles (as from 8mm on) and models with concealed shackle (e. g. Quadra)	Rust-proof locking mechanism - for a long and reliable operation	Totally rust-proof! These series Atlantic, Diskus Ni and Delta are absolutely rust-proof	With convenient dimple keys. You will find them at the Boccia series.
This model is available in keyed alike version	Resettable combination	On demand available with 6 keys per padlock	

Packing unit

Shackle Ø (mm)

Horizontal clearance

Vertical clearance

Key blank no.



# BURG WÄCHTER



450 Boccia

## 450 Boccia

### Brass cylinder padlock with dimple key system

- solid brass body
- specially hardened shackle, double bolted
- high-tech cylinder, rustproof
- with 2 dimple keys
- many key differs
- German Engineering



Art.-No.	EAN						
	40 03482...		mm	mm	mm		
450 30	06430 6	10	5,0	16,5	16,0	75W	
450 40	06580 8	10	6,5	22,0	22,5	75W	
450 50	06590 7	5	8,0	28,0	29,5	76W	
450 60	06600 3	5	9,5	35,0	34,5	76W	
450 30 SB	06431 3	10	5,0	16,5	16,0	75W	
450 40 SB	06581 5	10	6,5	22,0	22,5	75W	
450 50 SB	06591 4	5	8,0	28,0	29,5	76W	
450 60 SB	06601 0	5	9,5	35,0	34,5	76W	



as from 50 mm



450 Boccia SB

## 217 Karat

- solid brass body
- hardened steel shackle, double bolted
- rustproof interior



Art.-No.	EAN						
	40 03482...		mm	mm	mm		
217 30	03430 9	10	5,0	16,0	17,5	64R	
217 40	03440 8	10	6,0	23,0	23,5	65R/L	
217 50	03450 7	10	8,0	28,0	27,5	66R/L	
217 30 SB	03431 6	10	5,0	16,0	17,5	64R	
217 40 SB	03441 5	10	6,0	23,0	23,5	65R/L	
217 50 SB	03451 4	5	8,0	28,0	27,5	66R/L	
217/30/6 SB	00371 8	10	5,0	16,0	17,5	64R	
217/40/6 SB	00381 7	10	6,0	23,0	23,5	65R/L	
217/50/6 SB	00391 6	5	8,0	28,0	27,5	66R/L	



as from 50 mm



217 Karat

With 6 keys each per lock, packed for self-service

## 217 F Ni Atlantic

### Seawater proof, absolutely rustproof!

- solid brass body
- handy plastic cover
- with stainless steel shackle, double bolted
- rustproof interior
- also available keyed alike



Art.-No.	EAN						
	40 03482...		mm	mm	mm		
217 F 30 Ni	10000 4	5	5,0	16,0	13,0	64R	
217 F 40 Ni	10010 3	5	6,0	23,0	17,0	65R/L	
217 F 50 Ni	10020 2	5	8,0	28,0	19,5	66R/L	
217 F 30 Ni SB	10001 1	5	5,0	16,0	13,0	64R	
217 F 40 Ni SB	10011 0	5	6,0	23,0	17,0	65R/L	
217 F 50 Ni SB	10021 9	5	8,0	28,0	19,5	66R/L	
217 40 45 Ni	10420 0	5	6,0	23,0	39,0	65R/L	
217 40 45 Ni SB	10421 7	5	6,0	23,0	39,0	65R/L	



with long shackle



217 F Ni Atlantic

# Padlocks



## 400 E Magno

- solid brass body
- hardened steel shackle, chromium-plated
- double bolted as from size 30 mm
- rustproof interior
- high breaking strength
- many key differs

HB = with long shackle

Art.-No.	EAN					
	40 03482...		mm	mm	mm	
400 E 15	06100 8	10	3,0	8,0	11,0	41L
400 E 20	06110 7	10	3,5	10,0	11,0	41L
400 E 25	06120 6	10	4,0	13,5	14,0	42L
400 E 30	06130 5	10	5,0	16,0	17,0	67R
400 E 35	06150 3	10	5,5	19,0	18,5	68R
400 E 40	06160 2	10	6,5	22,0	23,5	68R
400 E 45	06190 9	10	7,0	25,0	26,0	68R
400 E 50	06210 4	5	8,0	28,0	29,5	68R
400 E 60	06270 8	5	9,5	35,0	34,5	68R
400 E HB 20 26	06140 4	10	3,5	11,0	23,0	41L
400 E HB 40 45	06170 1	5	6,5	22,0	45,0	68R
400 E HB 40 65	06180 0	5	6,5	22,0	65,0	68R
400 E HB 50 80	06260 0	5	8,0	28,0	80,0	68R
<b>SB</b> 400 E 15	<b>SB</b> 06101 5	10	3,0	8,0	11,0	41L
<b>SB</b> 400 E 20	<b>SB</b> 06111 4	10	3,5	10,0	11,0	41L
<b>SB</b> 400 E 25	<b>SB</b> 06121 3	10	4,0	13,5	14,0	42L
<b>SB</b> 400 E 30	<b>SB</b> 06131 2	10	5,0	16,0	17,0	67R
<b>SB</b> 400 E 35	<b>SB</b> 06151 0	10	5,5	19,0	18,5	68R
<b>SB</b> 400 E 40	<b>SB</b> 06161 9	10	6,5	22,0	23,5	68R
<b>SB</b> 400 E 45	<b>SB</b> 06191 6	10	7,0	25,0	26,0	68R
<b>SB</b> 400 E 50	<b>SB</b> 06211 1	5	8,0	28,0	29,5	68R
<b>SB</b> 400 E 60	<b>SB</b> 06271 5	5	9,5	35,0	34,5	68R
<b>SB</b> 400 E HB 20 26	<b>SB</b> 06141 0	10	3,5	11,0	23,0	41L
<b>SB</b> 400 E HB 40 45	<b>SB</b> 06171 8	5	6,5	22,0	45,0	68R
<b>SB</b> 400 E HB 40 65	<b>SB</b> 06181 7	5	6,5	22,0	65,0	68R
<b>SB</b> 400 E HB 50 80	<b>SB</b> 06261 6	5	8,0	28,0	80,0	68R

**SB**



400 E HB Magno



400 E Magno

## 222 C-Line

- solid brass body
- hardened steel shackle
- double bolted as from size 35 mm
- solid quality
- not available in special versions (keyed alike etc.)

Art.-No.	EAN					
	40 03482...		mm	mm	mm	
222 15	02950 3	10	3,0	8,0	11,0	45L
222 20	02960 2	10	3,5	10,0	11,0	45L
222 25	03040 0	10	4,0	12,0	12,0	45L
222 30	03000 4	10	5,0	14,3	16,0	38R
222 35	03050 9	10	5,0	18,0	18,5	38R
222 40	03010 3	10	6,0	20,0	22,0	39R
222 45	03060 8	10	6,0	23,5	27,0	39R
222 50	03020 2	5	7,0	25,0	26,0	39R
222 60	03030 1	5	8,0	32,0	32,5	39R
<b>SB</b> 222 15	<b>SB</b> 02951 0	10	3,0	8,0	11,0	45L
<b>SB</b> 222 20	<b>SB</b> 02961 9	10	3,5	10,0	11,0	45L
<b>SB</b> 222 25	<b>SB</b> 03041 7	10	4,0	12,0	12,0	45L
<b>SB</b> 222 30	<b>SB</b> 03001 1	10	5,0	14,3	16,0	38R
<b>SB</b> 222 35	<b>SB</b> 03051 6	10	5,0	18,0	18,5	38R
<b>SB</b> 222 40	<b>SB</b> 03011 0	10	6,0	20,0	22,0	39R
<b>SB</b> 222 45	<b>SB</b> 03061 5	10	6,0	23,5	27,0	39R
<b>SB</b> 222 50	<b>SB</b> 03021 9	5	7,0	25,0	26,0	39R
<b>SB</b> 222 60	<b>SB</b> 03031 8	5	8,0	32,0	32,5	39R

**SB**



as from 40 mm



222 C-Line



# Padlocks



116 Profi PC

## 116 Profi PC

### High-Tech padlock for half profile cylinder

- solid brass body
- hardened shackle, double-bolted
- alternatively available with stainless steel shackle in 2 different heights
- lock body completely prepared for fitting
- for integration into existing and new keying suites
- German Engineering

Art.-No.	EAN				
	40 03482...		mm	mm	mm
<b>116 PC 50</b>	01240 6	1	8,0	27,0	40,0
<b>116 PC 50 Niro</b>	18710 4	1	8,0	27,0	40,0
<b>116 PC 50 80 Niro</b>	18720 3	1	8,0	27,0	80,0



- suitable for nearly all movable cam half profile cylinders
- Fast and easy assembly
- Cylinder has not to be reworked while assembling
- Delivered without cylinder



660 Delta

## 660 Delta

- solid stainless steel body and shackle
- high breaking strength
- shackle double bolted
- with closed shackle
- rustproof interior



Art.-No.	EAN					
	40 03482...		mm	mm	mm	
<b>660 40</b>	47830 1	3	7,0	19,0	14,0	68R
<b>660 40 SB</b>	47831 8	3	7,0	19,0	14,0	68R



400 CS Magno

## 400 Magno CS

- solid brass body
- hardened steel shackle, double bolted
- rustproof interior
- with closed shackle



Art.-No.	EAN					
	40 03482...		mm	mm	mm	
<b>400 CS 40</b>	06080 3	5	6,5	17,0	15,0	68R
<b>400 CS 50</b>	06090 2	5	8,0	21,0	19,0	68R
<b>400 CS 40 SB</b>	06081 0	5	6,5	17,0	15,0	68R
<b>400 CS 50 SB</b>	06091 9	5	8,0	21,0	19,0	68R



444 Quadra

## 444 Quadra

### Shutter lock

- solid brass body
- hardened steel shackle
- rustproof interior
- integrated shackle leaves very tiny space for attack with mechanical tools
- shackle rotates when attacked



Art.-No.	EAN					
	40 03482...		mm	mm	mm	
<b>444 50</b>	28590 9	5	7,0	16,0	11,5	67R
<b>444 60</b>	28670 8	5	9,5	18,0	11,0	68R
<b>444 70</b>	28680 7	3	12,0	22,0	15,5	68R
<b>444 90</b>	28690 6	3	12,0	36,0	18,0	68R
<b>444 50 SB</b>	28591 6	5	7,0	16,0	11,5	67R
<b>444 60 SB</b>	28671 5	5	9,5	18,0	11,0	68R
<b>444 70 SB</b>	28681 4	3	12,0	22,0	15,5	68R
<b>444 90 SB</b>	28691 3	3	12,0	36,0	18,0	68R



# Padlocks, padlock sets



## 111 Vulcan

### Solid laminated steel padlock

- plated laminated steel body
- 8 rivets
- hardened steel shackle, chromium-plated, double ball bearing locking
- 5 pin cylinder

HB = with long shackle

Art.-No.	EAN					
	40 03482...		mm	mm	mm	
111 30	01080 8	10	5,0	15,0	19,0	42L
111 40	01090 7	10	6,5	21,0	24,0	68R
111 45	01160 7	5	7,0	22,0	26,0	68R
111 50	01170 6	5	9,0	24,0	28,0	68R
111 HB 40 60	01100 3	5	6,5	21,0	60,0	68R



111 Vulcan

## Flash 404

### The new cylinder padlock

- solid steel body with titanium-nitrite coating
- hardened steel shackle, double bolted
- solid quality



Art.-No.	EAN					
	40 03482...		mm	mm	mm	
Flash 404 30	24760 0	10	5	16	17	38 R
Flash 404 40	24770 9	10	6	22	22	39 R
Flash 404 50	24780 8	10	8	28	30	39 R
Flash 404 30 SB	24761 7	10	5	16	17	38 R
Flash 404 40 SB	24771 6	10	6	22	22	39 R
Flash 404 50 SB	24781 5	10	8	28	30	39 R



404 Flash

## 500 Point

- low-priced brass padlock
- simple quality
- with 3 keys each
- not available in special versions (keyed-alike, etc.)



Art.-No.	EAN					
	40 03482...		mm	mm	mm	
500 20	00500 2	10	3,0	10,5	11,0	
500 25	00510 1	10	3,5	13,5	15,5	
500 30	00520 0	10	4,5	16,0	17,5	
500 35	00530 9	10	4,5	20,0	19,0	
500 40	00540 8	10	5,5	22,5	22,5	
500 45	00550 7	10	5,5	27,0	26,0	
500 50	00560 6	10	6,5	30,0	27,0	
500 20 SB	00501 9	10	3,0	10,5	11,0	
500 30 SB	00521 7	10	4,5	16,0	17,5	
500 40 SB	00541 5	10	5,5	22,5	22,5	
500 50 SB	00561 3	10	6,5	30,0	27,0	



Point 500

## Padlock-Sets

### Keyed alike padlocks, packed for self service

- each set delivered with 4 keys



Art.-No.	EAN		Keyed alike padlocks:
	40 03482...		
Duo 116 40 SB	17731 0	5	2 x 116 40 Profi
Quadro 222 15 SB	16001 5	10	4 x 222 15 C-Line
Duo 222 20 SB	29911 1	10	2 x 222 20 C-Line
Trio 222 20 SB	29921 0	10	3 x 222 20 C-Line
Duo 222 30 SB	06341 5	10	2 x 222 30 C-Line
Trio 222 30 SB	06371 2	5	3 x 222 30 C-Line
Quadro 222 30 SB	29931 9	5	4 x 222 30 C-Line
Duo 222 40 SB	16501 0	5	2 x 222 40 C-Line
Trio 222 40 SB	29941 8	5	3 x 222 40 C-Line
Quadro 222 40 SB	29951 7	5	4 x 222 40 C-Line
Duo 400 20 26 SB	29961 6	10	2 x 400 20 26 Magno
DUO 404 40 SB	23291 0	10	2 x 404 40 Flash
TRIO 404 40 SB	23331 3	10	3 x 404 40 Flash

1 key fits all padlocks!



Trio 222 40 SB



# Combination padlocks



71 25

## Combi Lock 71

### Resettable combination padlock

- body and shackle chromium-plated
- 3 digit rolls



Art.-No.	EAN				
	40 03482...		mm	mm	mm
71 25 SB	17981 9	10	3,8	11,5	16,5



72 25

## Combi Lock 72

### Resettable combination padlock

- body and shackle chromium-plated
- 3 digit rolls



Art.-No.	EAN				
	40 03482...		mm	mm	mm
72 25 SB	17991 8	10	3,8	9,0	15,7



80 30

## Combi Lock 80

### Resettable combination padlock

- solid brass body
- 80 15 - 30 M: 3 digit rolls
- 80 40 M: 4 digit rolls



Art.-No.	EAN				
	40 03482...		mm	mm	mm
80 20 M	02850 6	10	3,2	9,0	22,0
80 30 M	02470 6	10	5,0	12,0	27,0
80 40 M	02260 3	10	6,5	18,5	32,5
80 15 M SB	02861 2	10	3,0	6,5	16,0
80 20 M SB	02851 3	10	3,2	9,0	22,0
80 30 M SB	02471 3	10	5,0	12,0	27,0
80 40 M SB	02261 0	5	6,5	18,5	32,5



90 40

## Combi Lock 90 Chromo

### Resettable combination padlock

- body and shackle chromium-plated
- 90 20 and 30: 3 digit rolls
- 90 40: 4 digit rolls



Art.-No.	EAN				
	40 03482...		mm	mm	mm
90 20 Chromo SB	03631 0	10	3,2	9,0	22,0
90 30 Chromo SB	03641 9	10	5,0	12,0	27,0
90 40 Chromo SB	03651 8	5	6,5	18,5	32,5



# Combination padlocks



## TSA 77 30

### Security combination padlock

- especially for air travelling
- security for your luggage
- additional opening function for the customs authorities personnel (e.g. USA)



Art.-No.	EAN					
77 30	40 03482...		mm	mm	mm	
SB	30961 2	10	3,5	14,5	21,0	



TSA 77

## Fun 95

### Transparent combination padlock

- you can choose and change your code at any time
- 3 digit rolls



Art.-No.	EAN					
95 30 Fun	40 03482...		mm	mm	mm	
95 30 Fun	03660 0	10	3,0	9,0	18,5	
SB	03661 7	10	3,0	9,0	18,5	



95

## Burg 94

### Solid combination padlock with spring shackle

- 4 digit rolls
- also available with combination at customers request
- not resettable - fixed code

Art.-No.	EAN					
94 50	40 03482...		mm	mm	mm	
	01630 5	5	8,0	25,0	31,5	



94

	Packing unit
	Shackle Ø (mm)
	Horizontal clearance
	Vertical clearance
	Key blank no.



# BURG WÄCHTER

## Padlocks



22

### 22

Rustproof „Diskus“ padlock of stainless steel

**Size 60 mm:**

with stainless steel shackle, rustproof

**Size 70 mm:**

classic model with hardened shackle, chromium-plated



Art.-No.	EAN					
	40 03482...		mm	mm	mm	
<b>22 Ni 60</b>	28500 8	5	8,0	17,0	13,0	48R
<b>22 70</b>	10270 1	5	10,0	20,0	17,0	48R
<b>22 Ni 60 SB</b>	28501 5	5	8,0	17,0	13,0	48R
<b>22 70 SB</b>	10271 8	5	10,0	20,0	17,0	48R



as from 70 mm

as from 60 mm



24

### 24

Popular, coloured padlock



Art.-No.	EAN				
	40 03482...		mm	mm	mm
<b>24 30</b>	00160 8	10	3,5	17,0	14,5
<b>24 40</b>	00170 7	10	5,0	23,0	20,0
<b>24 30 SB</b>	00161 5	10	3,5	17,0	14,5
<b>24 40 SB</b>	00171 4	10	5,0	23,0	20,0



65

### 65

Moderately priced, with spring shackle, without rivets



Art.-No.	EAN				
	40 03482...		mm	mm	mm
<b>65 30 SB</b>	00271 1	10	4,0	15,0	16,0
<b>65 40 SB</b>	00281 0	10	5,0	20,5	22,0

### LockCenter 12

Padlock display

- Compact, variable, informative
- Individual assortments possible
- Includes 12 anti-theft-hooks and price tags
- Dimensions:  
Height: 550 mm  
Width: 370 mm  
Depth: 250 mm



# Padlocks



## 393

Solid padlock with lever mechanism, galvanized, without keyhole cover

Art.-No.	EAN				
	40 03482...		mm	mm	mm
<b>393 35</b>	00690 0	10	5,5	21,5	16,5
<b>393 45</b>	00700 6	10	6,5	26,0	21,5
<b>393 55</b>	00710 5	10	8,0	34,5	26,5
<b>→ SB</b> <b>393 35</b> <b>SB</b>	00691 7	10	5,5	21,5	16,5
<b>SB</b> <b>393 45</b> <b>SB</b>	00701 3	10	6,5	26,0	21,5



393

## 394

Solid, galvanized padlock with lever mechanism, with brass keyhole cover

Art.-No.	EAN				
	40 03482...		mm	mm	mm
<b>394 45</b>	00740 2	10	6,5	26,0	21,5
<b>→ SB</b> <b>394 45</b> <b>SB</b>	00741 9	10	6,5	26,0	21,5



394

## 398

Seawater proof padlock with brass levers, locking mechanism and keyhole cover, absolutely rustproof

Art.-No.	EAN				
	40 03482...		mm	mm	mm
<b>398 35</b>	00800 3	10	5,5	21,5	16,5
<b>398 45</b>	00810 2	10	6,5	26,0	21,5
<b>398 65</b>	00830 0	1	9,0	40,0	32,5



398

## 630

Inexpensive security padlock with lever mechanism, weatherproof galvanized

Art.-No.	EAN				
	40 03482...		mm	mm	mm
<b>630 40</b>	01010 5	10	5,5	20,5	18,5
<b>630 50</b>	01020 4	10	7,0	25,5	24,5



630



# Hasps & staples, locking bolts



PT 230 Titan

## High security armoured hasp & staple PT 230 Titan

Heavy duty hasp & staple made of forged steel, hardened, hardened hinge with protection against bolt cutting and drilling, staple is welded with the fixing plate, corrosion prevention due to multiple coating, incl. fixing material

Art.-No.	EAN		Length	Width	Ø
	40 03482...		mm	mm	mm
<b>PT 230 Titan</b>	01250 5	1	225	82	14



PC

## Heavy duty hasps & staples

Galvanized, all screw holes concealed

**PC:** standard version

**PMG:** with single link

**PK:** heavy version with 1 double link

**PL:** heavy version with 2 double links



PMG

Art.-No.	EAN		Length	Width	Ø
	40 03482...		mm	mm	mm
<b>PC 60</b>	02090 6	10	60	24	6
<b>PC 80</b>	02100 2	10	80	31	8
<b>PC 100</b>	02110 1	10	100	39	10
<b>PC 120</b>	02410 2	10	120	46	12
<b>PMG 80</b>	02150 7	10	120	31	8
<b>PMG 100</b>	02420 1	10	150	39	10
<b>PK 1</b>	26740 0	10	99	31	8
<b>PK 2</b>	02170 5	10	130	40	12
<b>PK 3</b>	02180 4	5	165	49	14
<b>PK 4</b>	02190 3	5	210	60	13
<b>PL 2</b>	02210 8	5	180	40	12
<b>PL 3</b>	02220 7	5	225	49	14



PK

Version packed for self-service with screws



PL

<b>PC 60</b>	<b>SB</b>	02091 3	10	60	24	6
<b>PC 80</b>	<b>SB</b>	02101 9	10	80	31	8
<b>PC 100</b>	<b>SB</b>	02111 8	10	100	39	10
<b>PC 120</b>	<b>SB</b>	02411 9	5	120	46	12
<b>PMG 80</b>	<b>SB</b>	02151 4	10	120	31	8
<b>PMG 100</b>	<b>SB</b>	02421 8	10	150	39	10
<b>PK 1</b>	<b>SB</b>	26741 7	10	99	31	8
<b>PK 2</b>	<b>SB</b>	02171 2	5	130	40	12
<b>PK 3</b>	<b>SB</b>	02181 1	5	165	49	14
<b>PL 2</b>	<b>SB</b>	02211 5	5	180	40	12

## Security locking bolts

Galvanized, all screw holes concealed




R 100

Version packed for self-service with screws



Art.-No.	EAN		Length	Width	Ø
	40 03482...		mm	mm	mm
<b>R 80</b>	02430 0	5	80	33	8
<b>R 100</b>	02230 6	5	100	39	9
<b>R 120</b>	02270 2	5	120	47	10
<b>R 140</b>	02310 5	5	140	54	13
<b>R 160</b>	02350 1	5	160	62	14

<b>R 80</b>	<b>SB</b>	02431 7	5	80	33	8
<b>R 100</b>	<b>SB</b>	02231 3	5	100	39	9
<b>R 120</b>	<b>SB</b>	02271 9	5	120	47	10
<b>R 140</b>	<b>SB</b>	02311 2	5	140	54	13
<b>R 160</b>	<b>SB</b>	02351 8	5	160	62	14



PC 80 + 30

## Sets

Cylinder padlock with security hasps & staples as set - packed for self-service



Art.-No.	EAN		Length	Width	Ø
	40 03482...		mm	mm	mm
<b>PC 80 + 30</b>	<b>SB</b>	02301 3	10	Hasps & staples PC 80 with padlock 222/30	



# Multi-functional lock, „U“ shackle locks

## Zick-Zack-Zu

Multi-functional lock of a new generation

- fast and easy operation
- solid and flexible
- with rotatable cylinder lock head
- incl. practical bike bag with carrier
- extra: additional zipper pocket for the car key, mobile phone, coins, etc.

Art.-No.	EAN		Length	Ø	
	40 03482...		cm	mm	
777 100	00230 8	5	100	10,0	71R



777 100

## 1500 HB

Strong „U“ shackle lock

- 6 pin cylinder lock
- hardened shackle, double bolted
- practical frame carrier
- body and shackle with black plastic coating

Art.-No.	EAN					
	40 03482...		mm	mm	mm	
1500 HB 130/175	29110 8	3	14	70	175	71R
1500 HB 170/180	27670 9	3	14	110	180	71R
1500 HB 170/255	27690 7	3	14	110	255	71R



1500 HB 170/255



1500 HB 130/175

## Snap+Lock

Cable lock with solid body and resettable combination lock

- Resettable combination
- Versatile use for bikes, luggage, garden furniture, computer hardware, sport equipment like skis and snowboards, etc.
- The cable of 2 m length can be drawn through different objects and can be tightened individually. Thus, these objects are fast and practically secured against „removal“ and theft

Art.-No.	EAN		Length	Ø
	40 03482...		cm	mm
720 200	29830 5	10	200	6,0



Snap+Lock



# Bicycle security: cable locks



240

## 240

### Cable lock with cylinder

- assorted in modern colours
- automatic locking

Art.-No.	EAN		Length	Ø	
	40 03482...		cm	mm	
240 50	01710 4	10	50	6,0	72W
240 60	02010 4	10	60	6,0	72W



245 F

## 245 F

### Solid cable lock

- assorted in modern colours
- automatic locking
- coloured lock body

Art.-No.	EAN		Length	Ø	
	40 03482...		cm	mm	
245 55 F	11450 6	10	55	6,0	72W



260

## 260

### Solid steel cable lock

- automatic locking

Art.-No.	EAN		Length	Ø	
	40 03482...		cm	mm	
260 60	11700 2	10	60	8,0	77R



330 Fun

## 330 Fun

### Extra strong steel cable lock

- transparent lock body
- automatic locking

Art.-No.	EAN		Length	Ø	
	40 03482...		cm	mm	
330 65 Fun	11760 6	5	65	12,0	



340 L

## 340 L

### Strong cable lock with illuminated key

- handy and ingenious
- automatic locking

Art.-No.	EAN		Length	Ø	
	40 03482...		cm	mm	
340 65 L	13080 3	10	65	12,0	



550

## 550

### Strong cable lock

- 5 pin cylinder lock
- covered keyhole

Art.-No.	EAN		Length	Ø	
	40 03482...		cm	mm	
550 80	18050 1	5	80	15,0	71R

# Bicycle security: cable locks



## 560

### Strong cable lock

- 6 pin cylinder lock
- practical frame carrier

Art.-No.	EAN		Length	Ø	
	40 03482...		cm	mm	
<b>560 90</b>	11020 1	5	90	15,0	71R



560

## 570

### Extremely strong steel cable lock

- strong plastic coating offers protection against damages
- locking head and steel cable form a unit
- high number of key differs
- winner of the German independent consumer test magazine "TEST"

Art.-No.	EAN		Length	Ø	
	40 03482...		cm	mm	
<b>570 120</b>	11340 0	3	120	25,0	73W
<b>570 150</b>	11390 5	3	150	25,0	73W



570

## 650 80 REFLEX

### Strong cable lock

- 5 pin cylinder lock
- covered keyhole
- cable with reflective stripe

Art.-No.	EAN		Length	Ø	
	40 03482...		cm	mm	
<b>650 80 REFLEX</b>	34100 1	5	80	15,0	71R



650 80 REFLEX

## 220

### Strong combination cable lock

- resettable combination lock
- frame carrier

Art.-No.	EAN		Length	Ø
	40 03482...		cm	mm
<b>220 65</b>	28750 7	5	65	10,0




220

## 230 L

### Strong cable lock with illuminated combination

- handy and ingenious
- resettable combination

Art.-No.	EAN		Length	Ø
	40 03482...		cm	mm
<b>230 65 L</b>	07260 8	10	65	10,0



230 L

## 440

### Combination cable lock

- assorted in modern colours

Art.-No.	EAN		Length	Ø
	40 03482...		cm	mm
<b>440 50</b>	01850 7	10	50	6,0
<b>440 60</b>	01860 6	10	60	6,0



440



# Bicycle security: coil cable locks



220 180

## 220

### Strong coil cable lock

- resettable combination
- practical frame carrier

Art.-No.	EAN	Length	Ø
	40 03482...	cm	mm
220 180	28760 6	5 180	10,0




230 L

## 230 L

### Strong coil cable lock with illuminated combination

- handy and ingenious
- resettable combination
- practical frame carrier

Art.-No.	EAN	Length	Ø
	40 03482...	cm	mm
230 180 L	07280 6	5 180	10,0




340 L

## 340 L

### Strong coil cable lock with illuminated key

- practical and ingenious
- practical frame carrier

Art.-No.	EAN	Length	Ø
	40 03482...	cm	mm
340 180 L	13140 4	5 180	10,0



1260

## 1260

### Solid coil cable lock

- practical frame carrier

Art.-No.	EAN	Length	Ø	
	40 03482...	cm	mm	
1260 100	11570 1	5 100	8,0	77R
1260 150	11580 0	5 150	8,0	77R



Duo 1260

## Duo 1260 Set

### Two coil cable locks as set

- locks keyed-alike
- 4 keys lock both locks
- practical frame carriers

Art.-No.	EAN	Length	Ø	
	40 03482...	cm	mm	
Duo 1260 150	11230 4	5 150	8,0	77R



1360 F

## 1360

### Strong coil cable lock

- 6 pin cylinder
- practical frame carrier
- covered keyhole

Art.-No.	EAN	Length	Ø
	40 03482...	cm	mm
1360 150 F	11040 9	5 150	10,0
1360 180	11050 8	5 180	10,0



F: assorted in modern colours



# Bicycle security: coil cable locks

## 1380

### Extra strong coil cable lock

- rotatable cylinder head
- dimple key
- practical frame carrier

Art.-No.	EAN		Length	Ø	
	40 03482...		cm	mm	
1380 150 F	11750 7	5	150	12,0	74W



1380 F

## 1550

### Extra strong coil cable lock

- 6 pin cylinder
- practical frame carrier
- covered keyhole

Art.-No.	EAN		Length	Ø	
	40 03482...		cm	mm	
1550 150	18060 0	5	150	15,0	71R



1550

## 1555

### Strong coil cable lock

- practical frame carrier
- covered keyhole
- easy handling due to turnable lock body

Art.-No.	EAN		Length	Ø	
	40 03482...		cm	mm	
1555 180	18070 9	5	180	12,0	71R



1555

## 1650 180 REFLEX

### Extra strong coil cable lock

- 6 pin cylinder
- practical frame carrier
- covered keyhole
- coil cable with reflective stripe

Art.-No.	EAN		Length	Ø	
	40 03482...		cm	mm	
1650 180 REFLEX	34110 0	5	180	15,0	71R



1650 180 REFLEX

## The new Bikelock-Center

### Security for hobby and leisure!

- Successful assortment including all highlights
  - Cable lock 570: Winner of the independent German consumer test magazine "TEST"
  - "U" shackle locks 1500 HB: Good results by the independent German consumer test magazine "TEST"
  - Illuminated locks with keys and combination
- Products can be placed on both sides
- 4 stable wheels with brakes
- Dimensions:
  - Height 205 cm (incl. Display)
  - Width 60 cm
  - Depth 60 cm





# Chains



SKM

## Square chain SKM

### Hardened square chain

- high-quality textile-coated
- 6 or 8 mm squared

Art.-No.	EAN		Length	Ø
	40 03482...		cm	mm
<b>SKM 6/60</b>	11060 7	1	60	6
<b>SKM 6/90</b>	11070 6	1	90	6
<b>SKM 8/90</b>	11100 0	1	90	8



GKM

## Square chain GKM

### Super quality!

### Hardened square chain

- high-quality textile-coated
- 10 mm squared

Art.-No.	EAN		Length	Ø
	40 03482...		cm	mm
<b>GKM 10/100</b>	11110 9	1	100	10
<b>GKM 10/150</b>	11120 8	1	150	10
<b>GKM 10/200</b>	11130 7	1	200	10



## Chain combinations

### Hardened square chain

- high-quality textile-coated
- combined with padlocks



SKM 6/60Ni40

Art.-No.	EAN		
	40 03482...		
<b>GK 4/60/30</b>	14610 1	10	Chain length 60 cm, 4 mm Ø with padlock 222/30
<b>SKM 6/60/Ni40</b>	14100 7	5	Chain length 60 cm, 6 mm squared with padlock 217 F/40Ni
<b>SKM 6/90/Ni40</b>	14150 2	3	Chain length 90 cm, 6 mm squared with padlock 217 F/40Ni
<b>SKM 8/90/Ni50</b>	14160 1	3	Chain length 90 cm, 8 mm squared with padlock 217 F/50Ni
<b>GKM 10/150/700</b>	28270 0	1	Chain length 150 cm, 10 mm squared with padlock 700/55



750

## 750

### Extra long coil cable

- with loops

Art.-No.	EAN		Length	Ø
	40 03482...		cm	mm
<b>750 200</b>	11140 6	5	200	8,0
<b>750 250</b>	11150 5	5	250	10,0



# All-round cam-locks



## Cam lock MZ 26

Brass cam lock with off-set cam, nickel-plated, cylinder length 20 mm

Art.-No.	EAN		Ø	
	40 03482...		mm	
<b>MZ 26</b>	05050 7	5	18,0	65R

MZ 26



## All-round cam-locks

From high-strength nickel-plated zinc diecasting, disk cylinder with reversible key, cam adjustable at an angle of 90°,

### ZS 76, ZS 77, ZS 77 H:

with fixing nut

**ZS 80 - 82:** with friction spring

**ZS 85, ZS 86:** with fixing nut

All models are delivered with 3 different cams, always the right solution



**Sets:** ZS 81 also available as Duo or Trio sets (keyed-alike).

Art.-No.	EAN		Material thickness	
	40 03482...			
<b>ZS 76</b>	01270 3	10	1 to 5 mm	33W
<b>ZS 77</b>	03070 7	10	1 to 10 mm	33W
<b>ZS 77 H</b>	03080 6	10	11 to 18,8 mm	33W
<b>ZS 80</b>	01280 2	10	1 to 2 mm	33W
<b>ZS 81</b>	03110 0	10	1 to 2 mm	33W
<b>ZS 82</b>	01290 1	10	1 to 2 + 4 to 5 mm	33W
<b>ZS 84</b>	32530 8	10	1 to 12 mm	
<b>ZS 85</b>	26880 3	5	1 to 12 mm	36W
<b>ZS 86</b>	26890 2	5	1 to 24 mm	36W
<b>ZS 77 SB</b>	03071 4	10	1 to 10 mm	33W
<b>ZS 77 H SB</b>	03081 3	5	11 to 18,8 mm	33W
<b>ZS 81 SB</b>	03111 7	10	1 to 2 mm	33W
<b>ZS 84 SB</b>	32531 5	10	1 to 12 mm	
<b>ZS 85 SB</b>	26881 0	5	1 to 12 mm	36W
<b>ZS 81 DUO SB</b>	17741 9	10	1 to 2 mm	33W
<b>ZS 81 TRIO SB</b>	17751 8	5	1 to 2 mm	33W

ZS 77



ZS 77 H



ZS 81



ZS 84



## All-round cam-lock ZS 61

Low-priced cylinder made of plastic with friction spring, with 1 straight cam. Also available as Duo set (keyed-alike).



Art.-No.	EAN		Material thickness	
	40 03482...			
<b>ZS 61 SB</b>	17761 7	10	1 - 2 mm	33W
<b>ZS 61 DUO SB</b>	17771 6	10	1 - 2 mm	33W

ZS 61



## Cam-lock Service Box

Assortment of popular replacement cylinders for BURG-WÄCHTER letter boxes and many other brands.



Art.-No.	EAN			
	40 03482...			
<b>ZS-Box 2010</b>	80601 2	1		



ZS 86

## Spare cam-locks

### ZBK:

Replacement cylinders for letter boxes of different brands



Art.-No.	EAN		for brand	
	40 03482...			
<b>ZBK 70</b>	22360 4	5	JU	35W
<b>ZBK 71</b>	22370 3	5	Renz, Decayeux	34W
<b>ZBK 72</b>	22380 2	5	Rombi, Knobloch	34W
<b>ZBK 73</b>	22390 1	5	Brabantia (sheet metal)	34W
<b>ZBK 74</b>	22680 3	5	Brabantia (plastic)	34W
<b>ZBK 70 SB</b>	22361 1	5	JU	35W
<b>ZBK 71 SB</b>	22371 0	5	Renz, Decayeux	34W
<b>ZBK 72 SB</b>	22381 9	5	Rombi, Knobloch	34W
<b>ZBK 73 SB</b>	22391 8	5	Brabantia (sheet metal)	34W
<b>ZBK 74 SB</b>	22681 0	5	Brabantia (plastic)	34W



ZS-Box 2010

## Packed for self-service

for BURG-WÄCHTER letter boxes

### BK 92 M:

for metal letter boxes



**BK 92 K:** for letter boxes made of plastic or cast aluminium

### BK 92 Point:

for Point metal letter boxes

Art.-No.	EAN			
	40 03482...			
<b>BK 92 M SB</b>	14111 3	5		65R
<b>BK 92 K SB</b>	14121 2	5		65R
<b>BK 92 Point SB</b>	30981 0	5		40W

ZBK 74



BK 92 Point

Art.-No.	EAN			
	40 03482...			
<b>Single cylinders</b>		1		



# Furniture locks



MZ 2320

## Cylinder rim locks

Applicable in all fields, backset adjustable: 15 - 40 mm, cylinder length: 25 mm

Possible special versions: master keyed

**MZ 23:** cylinder brass polished

**MZ 2320:** cylinder brass, nickel-plated

Art.-No.	EAN		Ø		
	40 03482...		mm		
<b>MZ 23</b>	04730 9	5	22	65R	
<b>MZ 2320</b>	04780 4	5	22	65R	
<b>MZ 23</b>	<b>SB</b>	04731 6	5	22	65R



MZ 83

## Cylinder rim lock

**MZ 83:** disk cylinder nickel-plated.

Backset 25/30 mm.

Cylinder length 23 mm.

Art.-No.	EAN		Ø		
	40 03482...		mm		
<b>MZ 83</b>	05390 4	5	18	10R	
<b>MZ 83</b>	<b>SB</b>	05391 1	5	18	10R



MS 90

## Lock for sliding glass doors

**MS 90:** rack lock, smoothly adjustable from 4 to 8 mm thickness

Art.-No.	EAN		Ø	
	40 03482...		mm	
<b>MS 90</b>	22460 1	5	20	
<b>MS 90</b>	<b>SB</b>	22461 8	5	20



MS 91

## Furniture lock

**MS 91:** to set in, bolt lifts 5,5 mm

Art.-No.	EAN		Ø	
	40 03482...		mm	
<b>MS 91</b>	22470 0	5	19	
<b>MS 91</b>	<b>SB</b>	22471 7	5	19



MS 92

## Pressure lock

**MS 92:** for sliding doors. Bolt sinks completely into the cylinder, with M4 drilling, bolt lifts 12 mm

Art.-No.	EAN		Ø	
	40 03482...		mm	
<b>MS 92</b>	22480 9	5	19	
<b>MS 92</b>	<b>SB</b>	22481 6	5	19




# Furniture locks



## Mortise locks

**MN 94:** with web-key, available with backset 15 - 40 mm.  
New version: usable **left, right and up**.  
Packed for self-service.



Art.-No.		EAN		Backset
		40 03482...		mm
<b>MN 94.15</b>	<b>SB</b>	22281 2	5	15,0
<b>MN 94.20</b>	<b>SB</b>	22291 1	5	20,0
<b>MN 94.25</b>	<b>SB</b>	22491 5	5	25,0
<b>MN 94.30</b>	<b>SB</b>	22511 0	5	30,0
<b>MN 94.35</b>	<b>SB</b>	22301 7	5	35,0
<b>MN 94.40</b>	<b>SB</b>	22311 6	5	40,0




MN 94

## Rim locks

**MN 95:** with web-key, backsets 15 - 40 mm, one type fitting **right, left and up**.



Art.-No.		EAN		Backset
		40 03482...		mm
<b>MN 95.15</b>	<b>SB</b>	22571 4	5	15,0
<b>MN 95.20</b>	<b>SB</b>	22581 3	5	20,0
<b>MN 95.25</b>	<b>SB</b>	22591 2	5	25,0
<b>MN 95.30</b>	<b>SB</b>	22531 8	5	30,0
<b>MN 95.35</b>	<b>SB</b>	22661 2	5	35,0
<b>MN 95.40</b>	<b>SB</b>	22671 1	5	40,0



MN 95

## Rotary bar locks


**MN 97:** low-priced, universal rotary bar lock for replacement requirements. Usable on the **right, left and up**.

Backsets: 16 and 25 mm.

New incl. rotary hooks, fixing screws.

**Accessory:** Rotary bar MD 120



Art.-No.		EAN		Backset
		40 03482...		mm
<b>MN 97.16</b>	<b>SB</b>	23311 5	5	16,0
<b>MN 97.25</b>	<b>SB</b>	23321 4	5	25,0
<b>MD 120</b>		22400 7	10	1200 mm long



MN 97





# Security inserts, lockblocking keys



ES

## Security inserts

change plain door locks into full cylinder locks, adjustable radius of the locking bolt from 13,5 to 15 mm.

### ESA:

low-priced security insert with radius 16,5 mm, with 3 keys



Art.-No.	EAN		Ø	
	40 03482...		mm	
ES 10/2	04070 6	1	70	29
ES 10/3	04073 7	1	70	29
ESA 10/3	04623 4	1	70	29
ESA 10/3 SB	04651 7	5	70	29



ESA

## Cylinder lockblocking keys

**E 6/E 7:** for mortise door locks

**E 700:**

with stopper, for mortise door locks

**ME:** for furniture mortise locks



Art.-No.	EAN		Ø	
	40 03482...		mm	
E 7/2	04280 9	10	7	24
E 7/3	04283 0	10	7	24
E 6/2	04270 0	10	6	22
E 700/2	04300 4	10	7	26
E 700/3	04303 5	10	7	26
ME/2	04340 0	10	6	14
E 7/2 SB	04281 6	10	7	24
E 7/3 SB	04481 0	10	7	24
E 6/2 SB	04271 7	10	6	22
E 700/2 SB	04301 1	10	7	26
E 700/3 SB	04501 5	10	7	26
ME/2 SB	04341 7	10	6	14



E 7



E 700



ME

